

Product: [8700](#) 

Special Audio, #28 TC coax, BC Braid, PVC Jacket, CMH



Product Description

Minature, 28 AWG solid .013" tinned copper conductor, polypropylene insulation, bare copper braid shield (90% coverage), PVC jacket.

Technical Specifications

Physical Characteristics (Overall)

Conductor

AWG	Stranding	Material	Nominal Diameter	No. of Coax
28	Solid	TC - Tinned Copper	0.013 in	1

Conductor Count: 1

Insulation

Material	Nominal Diameter
PP - Polypropylene	0.023 in

Outer Shield

Type	Material	Coverage [%]
Braid	Bare Copper (BC)	92%

Outer Jacket

Material	Nominal Diameter
PVC - Polyvinyl Chloride	0.054 in

Electrical Characteristics

Conductor DCR

Nominal Conductor DCR	Nominal Conductor DCR Conductor Resistance	Nominal Outer Shield DCR	Outer Conductor DCR
66.9 Ohm/1000ft	66.9 Ohm/1000ft	28.7 Ohm/1000ft	28.7 Ohm/1000ft

Capacitance

Nom. Capacitance Conductor to Shield
55.2 pF/ft

Inductance

Nominal Inductance
0.049 µH/ft

Impedance

Nominal Characteristic Impedance
32 Ohm

High Frequency (Nominal/Typical)

Frequency [MHz]	Nom. Insertion Loss
1 MHz	2.5 dB/100ft
10 MHz	7.7 dB/100ft

50 MHz	17.2 dB/100ft
100 MHz	24.5 dB/100ft
200 MHz	34.8 dB/100ft
400 MHz	50 dB/100ft
700 MHz	66 dB/100ft
900 MHz	75 dB/100ft
1000 MHz	79 dB/100ft

Delay

Nominal Delay	Nominal Velocity of Propagation (VP) [%]
1.54 ns/ft	66%

Voltage

UL Voltage Rating
300 V RMS

Temperature Range

Non-UL Temp Rating:	105°C
Operating Temp Range:	-30°C To +105°C

Mechanical Characteristics

Bulk Cable Weight:	3 lbs/1000ft
Max. Pull Tension:	7 lbs
Min. Bend Radius/Minor Axis:	0.5 in

Standards

NEC/(UL) Compliance:	CMH
CEC/C(UL) Compliance:	CMH
CPR Euroclass:	Eca

Applicable Environmental and Other Programs

Environmental Space:	Indoor (Not Riser or Plenum)
EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/11/EC (BFR):	Yes
EU Directive 2011/65/EU (RoHS 2):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU (RoHS 2 amendment):	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	No
MII Order #39 (China RoHS):	Yes

Flammability, LS0H, Toxicity Testing

UL Flammability:	VW-1
CSA Flammability:	FT1
IEC Flammability:	IEC 60332-1-2
UL voltage rating:	300 V RMS

Plenum/Non-Plenum

Plenum (Y/N):	No
---------------	----

Part Number

Variants

Item #	Color	Put-Up Type	Length	UPC
8700 010250	Black	Reel	250 ft	612825214397

History

Update and Revision:	Revision Number: 0.318 Revision Date: 09-10-2021
----------------------	--

© 2021 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.